## SEQUENCE LISTING

```
<110> EBL GmbH
<120> Method for the production of protamine
<130> Protamin
<140>
<141>
<160> 36
<170> PatentIn Ver. 2.1
<210> 1
<211> 102
<212> DNA
<213> Oncorhynchus mykiss
<220>
<221> CDS
<222> (1)..(99)
<220>
<223> aa sequence derived from ORF of nucleotide
      sequence
 <400> 1
atg ccc aga aga cgc aga tcc tcc agc cga cct gtc cgc agg cgc cgc
                                                                   48
Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg
                                      10
   1
                   5
 cgc ccc agg gtg tcc cga cgt cgt cgc agg aga gga ggc cgc agg agg
                                                                   96
 Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg Arg
                                  25
              20
                                                                   102
 cgt tag
 Arg
 <210> 2
 <211> 33
 <212> PRT
 <213> Oncorhynchus mykiss
 <223> aa sequence derived from ORF of nucleotide
       sequence
```

```
<400> 2
Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg
                                    10
Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg Arg
                                25
Arg
<210> 3
<211> 102
<212> DNA
<213> Oncorhynchus mykiss
<220>
<221> CDS
<222> (1)..(99)
<220>
<223> aa sequence derived from ORF of nucleotide
      sequence
 <400> 3
atg ccc aga aga cgc aga tcc tcc aga cca cct gtc cgc agg cgc cgc
Met Pro Arg Arg Arg Ser Ser Arg Pro Pro Val Arg Arg Arg Arg
                                     10
                                                        15
                  5
   1
 cgc ccc agg gtg tcc cga cgt cgt cgc agg aga ggc cgc agg agg
                                                                 96
 Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg
                                                    30
                                 25
             20
                                                                 102
 cgt tag
 Arg
 <210> 4
 <211> 33
 <212> PRT
 <213> Oncorhynchus mykiss
 <223> aa sequence derived from ORF of nucleotide
       sequence
 Met Pro Arg Arg Arg Ser Ser Arg Pro Pro Val Arg Arg Arg
                                                         15
                                     10
                   5
   1
```

ď,

Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg 25 20. Arg <210> 5 <211> 102 <212> DNA <213> Oncorhynchus mykiss <220> <221> CDS <222> (1)..(99) <220> <223> aa sequence derived from ORF of nucleotide sequence <400> 5 atg ccc aga aga cgc aga tcc tcc aga cga cct gtc cgc agg cgc cgc Met Pro Arg Arg Arg Ser Ser Arg Arg Pro Val Arg Arg Arg Arg 15 10 5 1 cgc ccc agg gtg tcc cga cgt cgt cgc agg aga gga ggc cgc agg agg Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg 30 25 20 102 cgt tag Arg <210> 6 <211> 33 <212> PRT <213> Oňcorhynchus mykiss <223> aa sequence derived from ORF of nucleotide sequence Met Pro Arg Arg Arg Ser Ser Arg Arg Pro Val Arg Arg Arg 15 10 5 1 Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg 30 20 25

Arg

Arg

<210> 7 <211> 102 <212> DNA <213> Oncorhynchus mykiss <220> <221> CDS <222> (1)..(99) <220> <223> aa sequence derived from ORF of nucleotide sequence <400> 7 atg ccc aga aga cgc aga tcc tct agc cga cct gtc cgc agg cgc cgc 48 Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg 15 10 5 1 cgc gcc agg gtg tcc cga cgt cgt cgc agg aga gga cgc cgc agg agg 96 Arg Ala Arg Val Ser Arg Arg Arg Arg Arg Gly Arg Arg Arg 30 20 102 cgt tag Arg <210> 8 <211> 33 <212> PRT <213> Oncorhynchus mykiss <223> aa sequence derived from ORF of nucleotide sequence Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg Arg 10 15 5 Arg Ala Arg Val Ser Arg Arg Arg Arg Arg Arg Gly Arg Arg Arg Arg 30 25 20

 $\mathfrak{g}=\mathfrak{g}^{-1}$ 

```
<210> 9
<211> 102
<212> DNA
<213> Oncorhynchus mykiss
<220>
<221> CDS
<222> (1)..(99)
<220>
<223> aa sequence derived from ORF of nucleotide
      sequence
<400> 9
atg ccc aga aga cgc aga tcc tcc agc cga cct gtc cgc agg cgc cgc
Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg Arg
                                                         15
                                     10
                  5
  1
ege eee agg gtg tee ega egt egt ege agg aga ege ege agg agg
                                                                  96
Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Arg Gly Arg Arg Arg
                                                     30
                                 25
             20
                                                                  102
cgt tag
Arg
<210> 10
<211> 33
<212> PRT
<213> Oncorhynchus mykiss
 <223> aa sequence derived from ORF of nucleotide
      sequence
 <400> 10
Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg
                                                        · 15 -
                                     10
Ĭ
                   5
 Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Arg Gly Arg Arg Arg Arg
                                                      30
              20
                                  25
```

5

Arg

```
<210> 11
<211> 102
<212> DNA
<213> Oncorhynchus keta
<220>
<221> CDS
<222> (1)..(99)
<220>
<223> aa sequence derived from ORF of nucleotide
      sequence
<400> 11
atg ccc aga aga cgc aga tcc tcc agc cga cct gtc cgc agg cgc cgc 48
Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg Arg
                                     10
                  5
  1
cgc cct agg gtg tcc cga cgt cgt cgc agg aga ggc cgc agg agg '96 '
Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg Arg
                                 25
             20
                                                                  102
cgt tag
Arg
 <210> 12
 <211> 33
 <212> PRT
 <213> Oncorhynchus keta
 <223> aa sequence derived from ORF of nucleotide
       sequence
 <400> 12
 Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg
                                                          15
                   5
 Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg
                                                  - -30 -
                                 <sup>7</sup>25 ·
              20
 Arg
```

<210> 13 <211> 102 <212> DNA

<213> Oncorhynchus mykiss <220> <221> CDS <222> (1)..(99) <220> <223> nucleotide sequence derived from amino acid sequence <400> 13 atg ccc aga aga cgc aga tcc tcc agc cga cct gtc cgc agg cgc cgc 48 Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg Arg 10 5 1 cgc gcn agg gtg tcc cga cgt cgt cgc agg aga ggc cgc agg agg 96 Arg Ala Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg Arg 30 25 20 102 cgt tag Arg <210> 14 <211> 33 <212> PRT <213> Oncorhynchus mykiss <223> nucleotide sequence derived from amino acid sequence <400> 14 Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg Arg 15 5 Arg Ala Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg 30 25 20 Arg <210> 15 <211> 96 <212> DNA <213> Oncorhynchus mykiss <220>

7

<221> CDS <222> (1)..(93) . . . . <220> <223> nucleotide sequence derived from amino acid sequence <400> 15 atg ccc aga aga cgc aga gcn agc cga cgn gtc cgc agg cgc cgc cgc 48 Met Pro Arg Arg Arg Ala Ser Arg Arg Val Arg Arg Arg Arg Arg 15 10 1 5 ccc agg gtg tcc cga cgt cgc agg aga ggc cgc agg agg cgt tag Pro Arg Val Ser Arg Arg Arg Arg Gly Gly Arg Arg Arg 20 <210> 16 <211> 31 <212> PRT <213> Oncorhynchus mykiss <223> nucleotide sequence derived from amino acid sequence <400> 16 Met Pro Arg Arg Arg Ala Ser Arg Arg Val Arg Arg Arg Arg Arg 10 5 Pro Arg Val Ser Arg Arg Arg Arg Gly Gly Arg Arg Arg 30 25 20 <210> 17 <211> 96 <212> DNA <213> Oncorhynchus mykiss <220> <221> CDS <222> (1)..(93) <220> <223> nucleotide sequence derived from amino acid

<400> 17 atg ccc aga aga cgc aga gcn agc cga cgn ath cgc agg cgc cgc cgc 48

sequence

Met Pro Arg Arg Arg Ala Ser Arg Arg Ile Arg Arg Arg Arg 1 5 10 15

ccc agg gtg tcc cga cgt cgc agg aga ggc cgc agg agg cgt tag

Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg Arg Arg

20
25
30

<210> 18

<211> 31

<212> PRT

<213> Oncorhynchus mykiss

<223> nucleotide sequence derived from amino acid
 sequence

<400> 18

Met Pro Arg Arg Arg Ala Ser Arg Arg Ile Arg Arg Arg Arg Arg 1 5 10 15

Pro Arg Val Ser Arg Arg Arg Arg Gly Gly Arg Arg Arg Arg 20 25 30

<210> 19

<211> 102

<212> DNA

<213> Oncorhynchus mykiss

<220>

<221> CDS

<222> (1)..(99)

<220>

<223> nucleotide sequence derived from amino acid sequence

<400> 19

atg ccc aga aga cgc aga aga tcc tcc agc cga-cct ath cgc agg cgc \_ 48 \_ Met Pro Arg Arg Arg Arg Ser Ser Ser Arg Pro Ile Arg Arg Arg 1 5 10 15

cgc cgc ccc agg gtg tcc cga cgt cgc agg aga ggc cgc agg agg 96
Arg Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg Arg
20 25 30

cgt tag Arg 102

r,

9

```
<210> 20
<211> 33
<212> PRT
<213> Oncorhynchus mykiss
<223> nucleotide sequence derived from amino acid
     sequence
<400> 20
Met Pro Arg Arg Arg Arg Ser Ser Ser Arg Pro Ile Arg Arg
                                    10
                 5
Arg Arg Pro Arg Val Ser Arg Arg Arg Arg Gly Gly Arg Arg
                                25
             20
Arg
<210> 21
<211> 96
<212> DNA
<213> Clupea harengus
<220>
<221> CDS
<222> (1)..(93)
<220>
<223> nucleotide sequence derived from amino acid
      sequence
<400> 21
atg ccc aga aga cgc acc aga cgc gcn agc cga cct gtc cgc agg cgc
Met Pro Arg Arg Arg Thr Arg Arg Ala Ser Arg Pro Val Arg Arg
  1
cgc ccc agg cgc gtg tcc cga cgt cgt cgc gca cgc cgc agg agg tag
                                                                  96
Arg Pro Arg Arg Val Ser Arg Arg Arg Arg Ala Arg Arg Arg
                                                     30
             20
                                 25
 <210> 22
 <211> 31
 <212> PRT
 <213> Clupea harengus
```

2 - 6

<223> nucleotide sequence derived from amino acid sequence

<400> 22

Met Pro Arg Arg Thr Arg Arg Ala Ser Arg Pro Val Arg Arg Arg 1 5 10 15

Arg Pro Arg Arg Val Ser Arg Arg Arg Arg Arg Arg Arg Arg 20 25 30

<210> 23

<211> 99

<212> DNA

<213> Clupea harengus

<220>

<221> CDS

<222> (1)..(96)

<220>

<223> nucleotide sequence derived from amino acid sequence

<400> 23

atg gcc aga aga cgc aga agc cgc gcn agc cga cct gtc cgc agg 48
Met Ala Arg Arg Arg Arg Ser Arg Arg Ala Ser Arg Pro Val Arg Arg
1 5 10 15

cgc cgc ccc agg cgc gtg tcc cga cgt cgt cgc gca cgc cgc agg agg 96
Arg Arg Pro Arg Arg Val Ser Arg Arg Arg Arg Ala Arg Arg Arg Arg
20 25 30

tag 99

<210> 24

<211>-32--

<212> PRT

<213> Clupea harengus

<223> nucleotide sequence derived from amino acid sequence

<400> 24

Met Ala Arg Arg Arg Ser Arg Arg Ala Ser Arg Pro Val Arg Arg
1 5 10 15

<210> 25

<211> 99

<212> DNA

<213> Clupea harengus

<220>

<221> CDS

<222> (1)..(96)

<220>

<223> nucleotide sequence derived from amino acid sequence

<400> 25

atg gcc aga aga cgc aga tcc tcc agc cga cct ath cgc agg cgc cgc 48

Met Ala Arg Arg Arg Arg Ser Ser Ser Arg Pro Ile Arg Arg Arg Arg

1 5 10 15

ccc agg cgc cgg acc aca cgt cgt cgc agg gca ggc cgc agg agg cgt 96
Pro Arg Arg Arg Thr Thr Arg Arg Arg Arg Ala Gly Arg Arg Arg Arg
20 25 30

tag 99

<210> 26

<211> 32

<212> PRT

<213> Clupea harengus

<223> nucleotide sequence derived from amino acid sequence

<400> 26

Met-Ala-Arg Arg Arg Arg-Ser Ser Ser Arg-Pro Ile Arg Arg-Arg-Arg - 1 5 10 15

Pro Arg Arg Arg Thr Thr Arg Arg Arg Arg Ala Gly Arg Arg Arg 25 30

<210> 27

<211> 111

```
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: consensus 1
<400> 27
atgsccagaa gacgcagaas cagayscken agmcsacstr thegcaggeg eegeegesey 60
aggcgcskgw ccmsacgtcg tcgcaggaga gsasgccgca ggaggcgtta g
<210> 28
<211> 102
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: consensus 2
<400> 28
atgeccegne gnegcegnte etccageega cetgteegee gnegcegeeg ecceegngtg 60
tecegaegte gtegeegneg nggaggeege egnegnegtt ag
                                                                  102
<210> 29
<211> 102
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: consensus 3
 <400> 29
 atgccgcggc gccgccggtc gtcgagccgc ccggtgcgtc gccggcgccg cccgcgggtc 60
                                                                   102
 tegegeegee geeggegeeg eggegeeget ga
 <210> 30
 <211> 102
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: consensus 4
 <400> 30
 atgccgcgcc gtcgccgtag ctcgagccgt ccggtgcgtc gccgtcgccg tccccgtgtc 60
                                                                   102
 agccgccgcc gccgtcgccg cggcggacgc cgtcgccgtt ga
```

```
<210> 31
<211> 102
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence: consensus 5
<400> 31
atgccgcggc gtcggcgcag ctccagccgt ccagtgcggc gccgtcgccg cccccgtgtc 60
                                                                   102
tegegeegee geeggegeeg eggeggaege egtegeeggt ga
<210> 32
<211> 102
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: ebl 1
 <400> 32
atgcégegge gteggegtag etceageegt ceagtgegte geegtegeeg ecceegtgte 60
                                                                    102
 tegegeegee geeggegeeg eggeggaege egtegeegtt ga
 <210> 33
 <211> 36
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> aa position 1: X= zero or M
 <220>
 <223> aa position 2: X= A or P
 <220>
 <223> aa position 6: X= zero or R
 <220>
 <223> aa position 7: X=zero or T or S
 <220>
 <223> aa position 8: X= zero or R
```

- G

```
<220>
<223> aa position 9: X=zero or R or S
<220>
<223> aa position 10: X= S or A
<220>
<223> aa position 11: X= S or R
<220>
<223> aa position 12: X= R or P
<220>
<223> aa position 13: X= P or R
·<220>
<223> aa position 14: X= V or I
<220>
<223> aa position 19: X= zero or R
<220>
<223> aa position 20: X= P or A
<220>
<223> aa position 22: X= zero or R
<220>
<223> aa position 23: X= V or R
<220>
<223> aa position 24: X= S or T
<220>
<223> aa position 25: X= R or T
 <220>
 <223> aa position 29: X= zero or R
<220>
 <223> aa position 30: X= zero or R
 <223> aa position 31: X= G or A
 <220>
 <223> aa position 32: X= G or R
```

```
<220>
<223> aa position 36: X= zero or R
<220>
<223> Description of Artificial Sequence: consensus
      sequence
<400> 33
Xaa Xaa Arg Arg Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg Arg
                                                         15
                                     10
                  5
Arg Arg Xaa Xaa Xaa Xaa Xaa Arg Arg Arg Xaa Xaa Xaa Xaa
                                 25
             20
Arg Arg Arg Xaa
         35
<210> 34
<211> 227
<212> DNA
<213> Artificial Sequence
<220>
<221> CDS
<222> (43)..(108)
 <220>
 <221> CDS
 <222> (109)..(207)
 <220>
 <223> Description of Artificial Sequence: cloning
       sequence for expression of Protamine
 <220>
 <221> sig_peptide
 <222> (43)..(108)
 <223> pelB gene
 <220>
 <221> misc_feature
 <222> (1)..(6)
 <223> XbaI restriction site
 <220>
 <221> misc_feature
 <222> (222)..(227)
```

2 8

```
<223> Bam HI restriction site
<220>
<221> RBS
<222> (28)..(33)
<223> IRES sequence
<220>
<221> gene
<222> (109)..(207)
<223> ebl 1 gene
<400> 34
tctagaaata attttgttta actttaagaa ggagatatac at atg aaa tac ctg
                                                             54
                                           Met Lys Tyr Leu
                                             1
ctg ccg acc gct gct gct ggt ctg ctc ctc gct gcc cag ccg gcg
                                                           102
Leu Pro Thr Ala Ala Ala Gly Leu Leu Leu Ala Ala Gln Pro Ala
  5
                   10
                                      15
atg gcc atg ccg cgg cgt cgg cgt agc tcc agc cgt cca gtg cgt cgc
                                                             150
Met Ala Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg
                                  30
                25
Arg Arg Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg
                                                 50
                               45
            40
                                                             227
cgt cgc cgt tgaggaatta attcggatcc
Arg Arg Arg
        55
<210> 35 ·
<211> 22
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: cloning-
      sequence for expression of Protamine
 <400> 35
Met Lys Tyr Leu Leu Pro Thr Ala Ala Gly Leu Leu Leu Ala
                                   10
Ala Gln Pro Ala Met Ala
            20
```

<210> 36

<211> 33

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence: cloning
 sequence for expression of Protamine

<400> 36

Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg Arg 1 5 10 15

Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg Arg 25 30

Arg